#### RESORT IMPROVEMENT DISTRICT No. 1 GENERAL MANAGER'S REPORT DECEMBER 2023

## GENERAL MANAGER'S ACTIVITIES:

- Assisted Emerald Technologies with setting up new Board laptop computers.
- Worked with GSRMA on ongoing personnel matters.
- Investigated staff healthcare options due to rising costs.
- Corresponded with community members regarding roads and stormwater concerns.
- Met with various community organizations, including SCARF and Shelter Cove golfers.
- Attended an online meeting on CalPERS pension management, mainly regarding unfunded liability payments.
- Assisted with annual financial audits and researched potential new CPA consultants.
- Attended meetings, including with the Board, staff, and with engineering firms regarding ongoing and upcoming District projects.
- Researched and investigated an ongoing DWR drought relief grant, administered by the County.
- Signed checks and various documents.
- Organized files and rearranged the workspace in the GM office.

# ADMINISTRATION DEPARTMENT:

- Assessed Clerk applications and resumes for interview recommendations.
- Scheduled and assisted the GM with job interviews.
- Posted job vacancies.
- Worked with State Department of Finance who are performing an audit of the Prop 1
  Water Tank Replacement Project Grant.
- Secretary of State filing to report new Board president.
- Closed out FEMA Covid19 grant.
- Organized fire extinguisher/stove range inspections.
- Ordered 2024 labor law posters.
- Attended Supervisors meetings.

- Completed audit work for 2021.
- Set up signers for district bank accounts.
- Amended job descriptions.
- Payroll and billing.
- Monthly newsletter, activity calendar and board packet preparation.

## WASTEWATER TREATMENT DEPARTMENT:

- Installed security camera.
- Installed new float in disc tank.
- Weed abatement.

## WATER TREATMENT DEPARTMENT:

- Polymer steaming current controller probe and piston cleaned.
- Reached out to companies to fix the SCADA system.


## **POWER GENERATION & DISTRIBUTION DEPARTMENT:**

- Performed tree trimming.
- Called in for car accident. Vehicle hit a power pole on corner of Shelter Cove Road and Redwood Road.
- Took line truck to Dixon for hydraulic pump replacement.
- Worked with union on updating job descriptions.
- Took truck to town for service.
- Picked up new trailer from State Coastal Conservancy Grant.
- Peterson Generator came out to Shelter Cove to meet new Tech from Fortuna to check out recommendations that were previously suggested by other Techs who came out.

## PARKS AND RECREATION AND MISCELLANEOUS

- Coordinated golf course CC machine repair.
- Tee's reimagined, relocated and boxes mowed.
- Link areas mowed, expanded, and resurfaced.
- Greens mowed and edged.
- Holes changed.
- Gopher management performed.
- Maintenance and repairs on golf mowing equipment.
- 2020 F-150 truck taken to Eureka for oil change and recall work.
- New flatbed/tilt trailer picked up.
- Painted roof of backhoe.
- Digger Derrek line truck dropped off in Dixon for repairs.

END OF GENERAL DISCUSSION Provided by: RID Staff Members OPERATIONAL DATA FOLLOWS APPENDIX OF OPERATIONAL DATA FOR THE MONTH OF DECEMBER 2023 Late Fees 2%



Utility	Residential Utilities	Commercial Utilities	Total Billing	Last Year's Total
Water	\$23,163	\$1,857	\$25,020	\$25,742
Sewer	\$26,888	\$3,115	\$30,003	\$24,745
Electric	\$90,181	\$22,558	\$112,739	\$100,586
Late Fees	\$2,830	\$561	\$3,391	\$5,286
Past Due	\$67,104	\$7,414	\$74,518	\$75,984
Total	\$210,166	\$35,506	\$245,671	\$232,343
	85.5%	14.5%		

						Total	Last
	Residential		Commercial		RID	Metered	Year's
Utility	Usage		Usage		Usage	Usage	Total
Water (cuft)		\$142,602		\$22,937	\$8,893	\$174,432	\$251,495
		81.8%		13.1%	5.1%		
Elec (KwH)		\$210,697		\$54,982	\$38,810	\$304,489	\$345,681
		69.2%		18.1%	12.7%		

## PARKS AND RECREATION

## **GOLF LINKS:**

Revenue Source	Previous Balance	Monthly Total	F/Y To Date	Budget
Greens Fees	\$7,449	\$425	\$7,874.00	\$12,000.00
Total Revenue to Date			\$7,874.00	

## GOLF LINKS GREENS FEE HONOR SYSTEM SUMMARY THANK YOU FOR SUPPORTING CONTINUED OPERATION

### Shelter Cove Golf Links Honorable Golfers December 2023

Greens Fees	Amount	December 2023 Amount
Kiosk Cash	\$245.00	\$245.00
Kiosk CC	\$180.00	\$180.00
Annual Greens fees		
Purchasers		
TOTAL		\$425.00

# FIRE DEPARTMENT

RESPONSES:				
Date:	<u>Inc. No.:</u>	Description:	Amount:	<u>F/Fs</u>
12-2-23		Santa Express: Lighthouse	1	2 F/F
12-5-23	12116	Public Assist-Tree on House	1	3 F/F
12-6-23	12146	Unknown Fire-Beach Rd	1	4 F/F
12-8-23	12204	MVA-Power Off	1	5 F/F
12-10-23	12276	Medical Aid	1	4 F/F
12-15-23	12452	Medical Aid w/ Air Lift	1	8 F/F
12-17-23		Santa Express- Clubhouse	1	4 F/F
12-26-23	12754	Medical Aid-Unconscious	1	7 F/F

## RESORT IMPROVEMENT DISTRICT No.1 GENERAL MANAGER'S REPORT DECEMBER 2023 Page 6 of 10

EQUIPMENT STATUS:	<u>ID#</u>	
Command/Ocean Rescue	5100	In Service
WUI Type 1 Engine	5116	In Service
Command Type 6 Wildland Engine	5146	In Service
Rescue/ Engine Type 6	5147	In Service
Rescue/ Ambulance	5171	In service
RIB 17 ft Boat	5172	In Service
Yamaha Jet Ski	Ski #1	In Service
Yamaha Jet Ski	Ski #2	In Service
Honda ATV	Fire	In Service
Honda Side-By-Side	Fire	In Service
Type 2 Engine	5166	In Service

# TRAINING

ACTIVITI	ES:		
Drills:	Date:	Description:	F/F Turnout:
Fire	12-6-23	Drill- Find Tools on Truck	15 F/F
Med	12-9-23	ORT Jet Ski Shakedown	5 F/F
Fire	12-13-23	D.O. Meeting	7 F/F
Med	12-13-23	Use of KED	18 F/F
Fire	12-20-23	Porch Drills	22 F/F
Med	12-27-23	Vehicle Extraction	18 F/F
Med	12-30-23	ORT- back side of jetty-rough seas With 2 State Lifeguards from Trinidad	9 F/F

# ELECTRICAL UTILITY

# ELECTRICAL SERVICE CONNECTIONS:

Services Requested:	0
Services Connected:	0
Previous Connections:	3
F/Y Connections to Date:	3

## Location:


POWER OUTAGES:		Location:
Scheduled Outages:	0	
Unscheduled Outages:	2	Car vs. Pole-SC Rd/ Redwood Rd Ridge Road
Total # of Outages:	2	Nuge Nodu

## WATER UTILITY

#### **Total Gallons Finished Water Produced:**

Water Plant (Telegraph Creek): Rick Spring (Toth Rd): Joe Well (Cougar Rd): Jerry Well (Willow Glen Rd): Jack Well (Willow Glen Rd): Kelly Well (Kelly Rd): John Well (King's Peak Rd): Larry Well (Wood Ct): Ted Well (Shaller Ct): Rick Well (Toth Rd): Lot W Well (Willow Glen Rd): Greenbriar Well (Toth Rd): Rick Well #2 (Toth Rd): Lot W2 Well (Willow Glen Rd): Parsons Well: Jun Well: Humboldt Loop Well: Seafoam Well:

2,334,961 gallons 1,072,000 gallons 0 gallons 55,427 gallons 0 gallons 636,526 gallons 571,008 gallons 0 gallons 0 gallons 0 gallons 0 gallons 0 gallons 0 gallons



- Water Treatment Plant Hours of Operation:
- Monthly Rainfall Total:
- Previous WY Rainfall Total:
- Current WY Rainfall Total:

116.0 hours 19.50 inches 14.51 inches 34.01 inches

## WATER SERVICE CONNECTIONS:


- Services Requested: 0
- Services Connected: 0
- Previous connections: <u>3</u>
- F/Y Connections to date: 3

# Location:

## WASTEWATER UTILITY

# FLOWS INTO PLANT:

High:	235,300 gals/day
Low:	32,750 gals/day
Monthly Total:	3,165,768 gallons



## **SEWER SERVICE CONNECTIONS:**

- Services Requested: 0
- Services Connected:
- Previous Connections: 1

0

• F/Y Connections to Date: 1

## Location:

CAPITAL CONSTRUCTION PROJECTS			
Construction Work and Cal Fire Crews			
INTRADEPARTMENTAL SAFETY MEETINGS			
Date: Items Discussed			
12/31/2023	Online Target Solutions		

## **ON CALL INCIDENT REPORT**

Date/Time	Location	Description of Incident
Date/Time	Location	Description of Incident
12/8/2023		
	Shelter Cove Road at Redwood Road	Vehicle vs Power Pole.
11:00 PM		
Personnel Re	sponding: Dylan Brown, Fire Dept., Jon	Aronson
Date/Time	Location	Description of Incident
12/16/2023		
	WWTP	Advanced Security called, front door alarm.
4:13 AM		
Personnel Re	sponding: Frank Wilson	
Date/Time	Location	Description of Incident
12/17/2023 5:03 PM	WWTP	Customer called. Front gate wide open. Checked and it was closed.
Personnel Re	sponding: Frank Wilson	
Date/Time	Location	Description of Incident
12/26/2023	1390 Upper Pacific Drive	Sewer lateral at main plugged. Got snake and unplugged.
Personnel Re	esponding: Bud Lair	